



UNIVERSITY OF
GLOUCESTERSHIRE

This is a peer-reviewed, final published version of the following document and is licensed under Creative Commons: Attribution 4.0 license:

Mills, Claire D ORCID logoORCID: <https://orcid.org/0000-0003-4156-4593> (2017) Can we really provide physical activity recommendations for obese people if we are not obese? A phenomenological perspective using a bariatric weighted suit. In: 14th Global Obesity Meeting, 23-24 October 2017, Dubai. ISSN 2165-7904

Official URL: <https://www.omicsonline.org/obesity-weight-loss-therapy.php>

EPrint URI: <https://eprints.glos.ac.uk/id/eprint/5726>

Disclaimer

The University of Gloucestershire has obtained warranties from all depositors as to their title in the material deposited and as to their right to deposit such material.

The University of Gloucestershire makes no representation or warranties of commercial utility, title, or fitness for a particular purpose or any other warranty, express or implied in respect of any material deposited.

The University of Gloucestershire makes no representation that the use of the materials will not infringe any patent, copyright, trademark or other property or proprietary rights.

The University of Gloucestershire accepts no liability for any infringement of intellectual property rights in any material deposited but will remove such material from public view pending investigation in the event of an allegation of any such infringement.

PLEASE SCROLL DOWN FOR TEXT.

14th GLOBAL OBESITY MEETING

October 23-24, 2017 Dubai, UAE

Can we really provide physical activity recommendations for obese people if we are not obese? A phenomenological perspective using a bariatric weighted suit

Claire Mills

University of Gloucestershire, UK

As researchers we are cognizant of the issues relating to the lack of physical activity associated with obesity. However, guidance given to the general population on physical activity levels fails to recognize the difficulties that obese people face to be physical active. Therefore, this study was designed to provide a phenomenological perspective in a practical context n=30 undergraduate sports degree students ($x\pm s$; age=20.6 \pm 2.1 years; body mass=79.1 \pm 8.5 kg and stretched stature=179.8 \pm 7.3 cm) were recruited. Participants performed in 5 standardized fitness testing parameters, sit and reach (SR), vertical jump (VJ), Illinois agility run (IAR), 10 m sprint (10 mS) and a 5 minute motorized walk (5 MW) whilst monitoring heart rate (HR). Upon completion, participants wore a bariatric weighted suit (BWS) which provided an additional 20 lbs of padded weight and repeated the 5 testing parameters. Results indicated pre and post ranges of SR from 28.0 to 20.1 cm, VJ=46.0-20.3 cm, IAR=16.8-32.1 s, 10 mS=5.10-7.98 s and the 5 MW found pre resting HR ($x\pm s$) 62.0 \pm 3.4 bpm compared to post HR ($x\pm s$) 184.0 \pm 3.5 bpm, indicating a significant increase ($P<0.05$) of 122 bpm or 234%. Wearing the BWS caused physical stresses and constraints, suggesting that the BWS could be used with those who are at risk of becoming obese to demonstrate what could happen if they fail to take preventative action.

Biography

Claire Mills has her research interests in body composition where she is actively involved with professional athletes, children and obese people. She has published many academic papers on body composition and obesity and is an Editorial Reviewer for both the *Obesity Research Open Journal* and the *Sports and Exercise Medicine Open Journal*.

clairem@glos.ac.uk

Notes: