



UNIVERSITY OF
GLOUCESTERSHIRE

This is a peer-reviewed, final published version of the following document, ©2019 IJSPT All Rights Reserved. and is licensed under All Rights Reserved license:

Pfeifer, Craig E. ORCID logoORCID: <https://orcid.org/0000-0002-0635-4956>, Sacko, Ryan S, Ortaglia, Andrew, Monsma, Eva V, Beattie, Paul F, Goins, Justin and Stodden, David F (2019) Functional Movement Screen(TM) in Youth Sport Participants: Evaluating the Proficiency Barrier for Injury. International Journal of Sports Physical Therapy, 14 (3). pp. 436-444. doi:10.26603/ijspt20190436

Official URL: https://spts.org/docs/default-source/v14n3/ijspt-14_3-12-pfeifer_abs.pdf?sfvrsn=afeff664_2
DOI: 10.26603/ijspt20190436
EPrint URI: <https://eprints.glos.ac.uk/id/eprint/6995>

Disclaimer

The University of Gloucestershire has obtained warranties from all depositors as to their title in the material deposited and as to their right to deposit such material.

The University of Gloucestershire makes no representation or warranties of commercial utility, title, or fitness for a particular purpose or any other warranty, express or implied in respect of any material deposited.

The University of Gloucestershire makes no representation that the use of the materials will not infringe any patent, copyright, trademark or other property or proprietary rights.

The University of Gloucestershire accepts no liability for any infringement of intellectual property rights in any material deposited but will remove such material from public view pending investigation in the event of an allegation of any such infringement.

PLEASE SCROLL DOWN FOR TEXT.

FUNCTIONAL MOVEMENT SCREEN™ IN YOUTH SPORT PARTICIPANTS: EVALUATING THE PROFICIENCY BARRIER FOR INJURY

Craig E. Pfeifer, PhD, ATC¹
Ryan S. Sacko, PhD, ATC, CSCS²
Andrew Ortaglia, MSPH, PhD³
Eva V. Monsma, PhD³
Paul F. Beattie, PhD²
Justin Goins, PhD, ATC, CSCS³
David F. Stodden, PhD³

ABSTRACT

Background & Purpose: The number of youth participating in sport increases yearly; however, the evaluation of youths' movement ability and preparedness for sport remains inadequate or neglected. The Functional Movement Screen (FMS™) is an assessment of an individual's movement quality that has been utilized to evaluate risk of injury in collegiate and professional sport; however, there is minimal support regarding the predictive value of the screen in youth sport. The purpose of this study was to evaluate the mean and distribution of FMS™ performance in sport participants age 11-18, and to evaluate the existence of a composite FMS™ score proficiency barrier to predict injury risk.

Study Design: Prospective cohort study.

Methods: One hundred, thirty-six participants (63 male, 73 female) age 11 to 18 years (16.01 ± 1.35) were recruited from local schools and sport organizations. The FMS™ was administered prior to each participant's competitive season and scored by researchers who demonstrated reliability in assessments derived from the screen ($\kappa_w = 0.70$ to 1). Injury data were collected by the participants' Athletic Trainer over one season. An injury was defined as any physical insult or harm resulting from sports participation that required an evaluation from a health professional with time modified or time lost from sport participation.

Results: Females scored significantly higher than males for mean FMS™ composite score ($t=14.40$; $m=12.62$; $p < 0.001$), and on individual measures including: the hurdle step ($t=1.91$; $m=1.65$; $p < 0.001$), shoulder mobility ($t=2.68$; $m=2.02$; $p < 0.001$), active straight leg raise ($t=2.32$; $m=1.87$; $p < 0.001$), and the rotary stability components ($t=1.91$; $m=1.65$; $p < 0.05$). Two FMS™ composite scores (score ≤ 14 and ≤ 15) significantly increased the odds of injury (OR=2.955). When adjusting for sport, there was no score relating to increased odds of injury.

Conclusion: Dysfunctional movement as identified by the FMS™ may be related to increased odds of injury during the competitive season in youth athletes. Consideration of an individual's movement within the context of their sport is necessary, as each sport and individual have unique characteristics. Addressing movement dysfunction may aid in injury reduction and potentially improve sport performance.

Level of Evidence: 1b.

Key Words: Functional movement screen, injury prevention, movement system, movement quality, youth sport

¹ University of Gloucestershire, Longlevens, UK

² The Citadel, Charleston, SC, USA

³ University of South Carolina, Columbia, SC, USA

The authors of this manuscript have no conflict of interest regarding this manuscript.

Acknowledgements: The authors would like to acknowledge the following individuals for their aid with this study: Dr. Danielle Nesbitt, Dr. Erin Moore, Adam Pennell, Dr. Greg Stewart, Spencer Connell, Kate Creznic, Taylor Kramer, Andrew Flanigan, Michaela Rabas, Matthew Choice, Chelsea Nugent, Alicia Scott, Lora Fuhrmann, Joe Meyer, Alex Medina

CORRESPONDING AUTHOR

Craig E. Pfeifer, PhD, ATC
University of Gloucestershire
Oxstalls Campus, Oxstalls Ln, Longlevens,
UK, GL2 9HW
E-mail: craig.e.pfeifer@gmail.com