



This is a peer-reviewed, final published version of the following document and is licensed under Creative Commons: Attribution 4.0 license:

**Olszewska-Guizzo, Agnieszka, Russo, Alessio ORCID  
logoORCID: <https://orcid.org/0000-0002-0073-7243>, Roberts,  
Adam Charles, Kühn, Simone, Marques, Bruno, Tawil, Nour  
and Ho, Roger C (2023) Editorial: Cities and mental health.  
Frontiers in Psychiatry, 14. Art 1263305.  
doi:10.3389/fpsy.2023.1263305**

Official URL: <https://www.frontiersin.org/articles/10.3389/fpsy.2023.1263305/full>

DOI: <http://dx.doi.org/10.3389/fpsy.2023.1263305>

EPrint URI: <https://eprints.glos.ac.uk/id/eprint/13015>

#### **Disclaimer**

The University of Gloucestershire has obtained warranties from all depositors as to their title in the material deposited and as to their right to deposit such material.

The University of Gloucestershire makes no representation or warranties of commercial utility, title, or fitness for a particular purpose or any other warranty, express or implied in respect of any material deposited.

The University of Gloucestershire makes no representation that the use of the materials will not infringe any patent, copyright, trademark or other property or proprietary rights.

The University of Gloucestershire accepts no liability for any infringement of intellectual property rights in any material deposited but will remove such material from public view pending investigation in the event of an allegation of any such infringement.

PLEASE SCROLL DOWN FOR TEXT.



# Editorial: Cities and mental health

## OPEN ACCESS

### EDITED AND REVIEWED BY

Wulf Rössler,  
Charité University Medicine Berlin, Germany

### \*CORRESPONDENCE

Agnieszka Olszewska-Guizzo  
✉ a.o.guizzo@neurolandscape.org

RECEIVED 19 July 2023

ACCEPTED 20 July 2023

PUBLISHED 04 August 2023

### CITATION

Olszewska-Guizzo A, Russo A, Roberts AC,  
Kühn S, Marques B, Tawil N and Ho RC (2023)  
Editorial: Cities and mental health.  
*Front. Psychiatry* 14:1263305.  
doi: 10.3389/fpsy.2023.1263305

### COPYRIGHT

© 2023 Olszewska-Guizzo, Russo, Roberts,  
Kühn, Marques, Tawil and Ho. This is an  
open-access article distributed under the terms  
of the [Creative Commons Attribution License  
\(CC BY\)](#). The use, distribution or reproduction  
in other forums is permitted, provided the  
original author(s) and the copyright owner(s)  
are credited and that the original publication in  
this journal is cited, in accordance with  
accepted academic practice. No use,  
distribution or reproduction is permitted which  
does not comply with these terms.

Agnieszka Olszewska-Guizzo<sup>1\*</sup>, Alessio Russo<sup>2</sup>,  
Adam Charles Roberts<sup>3</sup>, Simone Kühn<sup>4,5</sup>, Bruno Marques<sup>6</sup>,  
Nour Tawil<sup>4</sup> and Roger C. Ho<sup>7</sup>

<sup>1</sup>NeuroLandscape Foundation, Warsaw, Poland, <sup>2</sup>School of Arts, University of Gloucestershire, Cheltenham, United Kingdom, <sup>3</sup>Future Resilient Systems, Singapore ETH Centre, Singapore, Singapore, <sup>4</sup>Lise Meitner Group for Environmental Neuroscience, Max Planck Institute for Human Development, Berlin, Germany, <sup>5</sup>Clinic and Policlinic for Psychiatry and Psychotherapy, University Medical Center Hamburg-Eppendorf, Hamburg, Germany, <sup>6</sup>Faculty of Architecture and Design Innovation, Victoria University of Wellington, Wellington, New Zealand, <sup>7</sup>Department of Psychological Medicine, National University of Singapore, Singapore, Singapore

### KEYWORDS

cities, urban, mental health, wellbeing, greenspace, urban planning

## Editorial on the Research Topic Cities and mental health

The link between urbanization and mental health is multifaceted and draws considerable attention from researchers and professionals worldwide. The Research Topic “Cities and Mental Health” dives into this theme, illuminating the influences of urban living on mental health and some possible causal pathways. Specifically, this editorial investigates the complexity of the relationship between urbanization and mental health, highlighting the increased interest among scholars and practitioners around the world. Here we present an overview of current studies by synthesizing twelve research articles published in the Research Topic. The majority of these studies are centered on China, followed by two studies from Germany, two from Taiwan and one from Portugal. According to the word analysis conducted with Nvivo 12 Pro software that visualizes the 1,000 most frequent words retrieved from the published articles, terms: “social” “health” and “urban” are the most frequently used by the authors. In [Figure 1](#) we show the results of the word analysis in a form of a word-cloud.

The social aspects of urban life emerge as critical determinants of mental health. One study in the collection associates perceived social cohesion with depressive symptoms among internal migrants in China, with social adaptation acting as a mediator ([Qu et al.](#)). In it, authors demonstrate that fostering social cohesion and promoting social strategies can help alleviate the mental health disparities among this vulnerable population, as well as highlighting the especially vulnerable group of involuntary rural-to-urban migrants, who may require additional social support. Furthermore, the impact of housing tenure mix on mental health is examined in the megacity of Guangzhou, China, revealing that while there is no direct impact, social participation mediates the decrease in depressive symptoms ([Zhang et al.](#)).

Moving into family dynamics, a paper from Changsha, the capital of Hunan province, reports increasing trends of various mental health problems among Chinese adolescents in urban areas between 2016 and 2020, emphasizing the urgency to address mental health issues in cities, especially among younger demographics ([Wu et al.](#)). Another article explores the protective role of good family functioning against adolescent delinquency in another Chinese megacity ([Wan et al.](#)). The authors highlight the value of positive behavior recognition in family environments, which is relevant in both urban and rural settings.



(Lin et al.). In another Taiwanese study the effects of natural environments on mental health are brought to light in a context of creativity in a study titled “The influence of natural environments on creativity” (Yeh et al.). The authors argue that viewing natural environments fosters flexibility and imagination, highlighting another dimension of how urban greening can influence productivity and wellbeing.

Following the research on sensory stimuli influencing the mental health Chinese meta-analysis by Tan and colleagues summarized the existing clinical trials on the essential oils in treatment of psychiatric disorders (Tan et al.). It concludes that natural scents of lemon and lavender showed to be the most effective in treatment of anxiety.

An important aspect touched upon by this Research Topic is the mental health of urban professionals and their productivity, with two papers investigating these issues. One paper documents higher depression prevalence among medical staff in Hainan, China, associating it with anxiety, sleep disorders, and job-related stressors (Lu et al.). In contrast, another study reveals that planned urbanization can improve mental health among middle-aged and older adults in China by promoting social participation and improving living conditions (Hong et al.). This dichotomy underscores the nuanced impacts of urban life on mental wellbeing, depending on one’s occupation and socioeconomic status.

In conclusion, these papers collectively underscore the significant interplay between urban environments and mental health. The findings affirm the imperative to consider multifaceted factors including environmental, social, and economic aspects in urban planning and health policy-making, and as a whole show commonalities across urban areas in different countries. While a lot of research is yet to be done to identify positive interventions, the effect of natural environments, multi-sensory exposure, and participatory approaches at the neighborhood levels seem to be the most promising tools to alleviate the burden of mental health in cities while promoting productivity and creativity. This collection

of studies prompts researchers and policymakers to discuss and work together toward healthier, greener and more supportive cities for better mental health outcomes.

## Author contributions

AO-G: Conceptualization, Writing—original draft, Writing—review and editing. AR: Visualization, Writing—review and editing. ACR: Writing—review and editing. SK: Writing—review and editing. BM: Writing—review and editing. NT: Writing—review and editing. RH: Writing—review and editing.

## Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The author(s) declared that they were an editorial board member of *Frontiers*, at the time of submission. This had no impact on the peer review process and the final decision.

## Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.